



# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation	C6657A
Use of the preparation	Inkjet printing
Selectability number	57
Manufacturer information	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US
<b>Hewlett-Packard health effects line</b>	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-503-494-7199
<b>General information telephone number</b>	
HP Customer Care Line	1-800-474-6836
(Toll-free)	1-800-474-6836
(Direct)	1-208-323-2551
Revision date	12-12-2004
MSDS number	15251

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/Substance	CAS Number	% By Weight
<b>Cyan ink</b>		
Water	7732-18-5	< 70
1,5-pentanediol	111-29-5	< 10
Ethyl alkyldiol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Metal nitrate #2	Proprietary	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Substituted phthalocyanine salt #2	Proprietary	< 2.5
Ammonium nitrate	6484-52-2	< 2.5
<b>Magenta ink</b>		
Water	7732-18-5	< 70
1,5-pentanediol	111-29-5	< 10
Ethyl alkyldiol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Metal nitrate #2	Proprietary	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Amino alkyldiol	Proprietary	< 2.5
Ammonium nitrate	6484-52-2	< 2.5



# MATERIAL SAFETY DATA SHEET

Component/Substance	CAS Number	% By Weight
<b>Yellow ink</b>		
Water	7732-18-5	< 70
1,5-pentanediol	111-29-5	< 10
Ethyl alkyldiol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Metal nitrate #2	Proprietary	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Ammonium nitrate	6484-52-2	< 2.5

**Composition comments** This ink supply contains an aqueous ink formulation.  
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

## 3. HAZARDS IDENTIFICATION

<b>Emergency Overview</b>	Contact with skin and eyes may result in irritation.
<b>Acute Health Effects</b>	Any potential hazards are presumed to be due to exposure to the components.
<b>Skin contact</b>	
	<i>1,5-pentanediol</i> Contact with skin may result in irritation.
	<i>2-pyrrolidone</i> Contact with skin may result in irritation.
	<i>Alkyldiol ethoxylate</i> Contact with skin may result in severe irritation.
	<i>Amino alkyldiol</i> Contact with skin may result in irritation.
	<i>Ammonium nitrate</i> Contact with skin may result in irritation.
	<i>Ethyl alkyldiol</i> Contact with skin may result in mild irritation.
	<i>Metal nitrate #2</i> Contact with skin may result in irritation.



invent

# MATERIAL SAFETY DATA SHEET

## Eye contact

### *1,5-pentanediol*

Contact with eyes may result in irritation.

### *2-pyrrolidone*

Contact with eyes may result in irritation.

### *Alkyldiol ethoxylate*

Contact can cause moderate to severe irritation and possible injury to the eyes.

### *Amino alkyldiol*

Contact with eyes may result in irritation.

### *Ammonium nitrate*

Contact with eyes may result in irritation.

### *Ethyl alkyldiol*

Contact with eyes may result in mild irritation.

### *Metal nitrate #2*

Contact with eyes may result in irritation.

## Inhalation

### *2-pyrrolidone*

Inhalation may result in respiratory irritation.

### *Amino alkyldiol*

Inhalation may result in respiratory irritation.

### *Ammonium nitrate*

Inhalation may result in respiratory irritation.

### *Metal nitrate #2*

Inhalation may result in respiratory irritation.

## Ingestion

### *2-pyrrolidone*

Ingestion may result in nausea, vomiting and diarrhea.

### *Alkyldiol ethoxylate*

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

### *Ammonium nitrate*

Contains nitrate salts, may cause methemoglobinemia.

### *Metal nitrate #2*

Contains nitrate salts, may cause methemoglobinemia.

### *Substituted phthalocyanine salt #2*

Harmful if swallowed.



# MATERIAL SAFETY DATA SHEET

## Potential health effects

<b>Routes of exposure</b>	Potential routes of overexposure to this product are skin and eye contact.  Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.  Complete toxicity data are not available for this specific formulation.
<b>Chronic health effects</b>	Cyan ink: Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to health.
<b>Carcinogenicity</b>	None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

---

## 4. FIRST AID MEASURES

### First aid procedures

<b>Eye</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Skin</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.

---

## 5. FIRE FIGHTING MEASURES

<b>Flash point and method</b>	> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup
<b>Hazardous combustion products</b>	Refer to section 10.
<b>Extinguishing media</b>	Dry chemical, CO2, water spray or regular foam.
<b>Unsuitable extinguishing media</b>	None known.
<b>Unusual fire and explosion hazard</b>	None known.
<b>Special firefighting procedures</b>	None established.

---

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear appropriate personal protective equipment.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
<b>Procedures if material is released or spilled</b>	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.



# MATERIAL SAFETY DATA SHEET

---

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	Keep out of the reach of children. Keep away from excessive heat or cold.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure limit values</b>	Exposure limits have not been established for this product.
<b>Personal protective equipment</b>	
<b>General</b>	Use personal protective equipment to minimize exposure to skin and eye.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Exposure guidelines</b>	Use in a well ventilated area.

---

## 9. PHYSICAL & CHEMICAL PROPERTIES

<b>pH</b>	6.5 - 8.75
<b>Vapor pressure</b>	Not determined
<b>Boiling point</b>	Not determined
<b>Solubility</b>	Soluble in water
<b>Specific gravity</b>	1 - 1.2
<b>VOC content</b>	< 3 %
<b>Flash point</b>	> 93.3 °C (> 200 °F)
<b>Viscosity</b>	> 2 cp
<b>Vapor density</b>	> 1 (air = 1.0)
<b>Evaporation rate</b>	Not determined
<b>Flammability</b>	Not determined
<b>Color</b>	Cyan, magenta, yellow

---

## 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

<b>Stability</b>	Stable under recommended storage conditions.
<b>Hazardous polymerization</b>	Will not occur.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Incompatibility</b>	Incompatible with strong bases and oxidizing agents.

---

## 11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.  
Refer to Section 3 for potential health effects and Section 4 for first aid measures.



# MATERIAL SAFETY DATA SHEET

## 12. ECOLOGICAL INFORMATION

### Aquatic toxicity

#### *Cyan ink*

LC50/96h/Fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

#### *Magenta ink*

LC50/96h/Fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

#### *Yellow ink*

LC50/96h/Fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

## 13. DISPOSAL CONSIDERATIONS

### Disposal instructions

Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

## 14. TRANSPORTATION INFORMATION

### General

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

### IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

## 15. REGULATORY INFORMATION

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

### US federal regulations

US EPA TSCA 12(b): Does not contain listed chemicals.

### HMIS ratings

Health	1
Flammability Classification	1
Reactivity	0

### NFPA ratings

Health	1
Flammability Classification	1
Reactivity	0



# MATERIAL SAFETY DATA SHEET

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Section 302 Extremely Hazardous Substance</b>	No
<b>Section 311 Hazardous Chemical</b>	No
<b>Hazard categories</b>	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

---

## 16. OTHER INFORMATION

<b>Other information</b>	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
<b>Issue date</b>	12-12-2004
<b>Revision</b>	2
<b>Replaces sheet dated</b>	10-06-2004
<b>Disclaimer</b>	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### MSDS Sections Updated

Chemical Product and Company Identification: Alternate Trade Names - SKU Numbers  
Composition / Information on Ingredients: Ingredient Extensions  
Fire Fighting Measures: Fire & Explosion Properties  
Physical & Chemical Properties: Material Properties



invent

## MATERIAL SAFETY DATA SHEET

### Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds