

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

1 Identification

- **Product Identifier**
- **Trade Name:** PAK-IT Wood & Marble Neutral Cleaner
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Surface cleaner
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Big 3 Packaging LLC
5039 Comly Street, Suite B
Philadelphia, PA 19135
215-743-4201
1-888-MY PAKIT
info@big3packaging.com
www.big3packaging.com
- **Emergency telephone number:** 1-800-535-5053

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 2 H401 Toxic to aquatic life.

- **Additional information:**

The hazard classification and label elements in this Safety Data Sheet reflect the intrinsic properties of the CONCENTRATE in its sealed water-soluble sachet. The hazard and precautionary statements ONLY apply to spills and handling exposure to the concentrate itself outside of the sachet and in large quantities.

The sachet when intact provides a barrier to dermal and inhalation exposure under conditions of normal handling and use. The product when used as recommended and diluted according to the manufacturers specifications is not classified as hazardous and does NOT require any Personal Protective Equipment PPE.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard-determining components of labeling:**

Sodium Dodecyl Sulphate

- **Hazard statements:**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H401 Toxic to aquatic life.

- **Precautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P337+P313 If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

• **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.

• **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**



• **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 107-41-5 RTECS: SA 0810000	Hexylene Glycol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	60-90%
CAS: 68551-12-2	alcohols, C12-16, ethoxylated ⚠ Aquatic Acute 1, H400; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	13.5%
CAS: 151-21-3 RTECS: WT 1050000	Sodium Dodecyl Sulphate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

• **Description of first aid measures**

• **General information:** If symptoms persist, call a physician.

• **After inhalation:** In case of unconsciousness place patient stably in the side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

Wash with soap and water.

• **After eye contact:**

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:**

Rinse mouth with water.

If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Dilute with plenty of water.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• PAC-1:		
107-41-5	Hexylene Glycol	2.3 ppm
151-21-3	Sodium Dodecyl Sulphate	3.9 mg/m ³
• PAC-2:		
107-41-5	Hexylene Glycol	25 ppm
151-21-3	Sodium Dodecyl Sulphate	43 mg/m ³
• PAC-3:		
107-41-5	Hexylene Glycol	150 ppm
151-21-3	Sodium Dodecyl Sulphate	260 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

107-41-5 Hexylene Glycol	
REL	Ceiling limit value: 125 mg/m ³ , 25 ppm
TLV	Short-term value: 50* 10** ppm Long-term value: 25* ppm *vapor **inh. fraction, aerosol only

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

• **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• **Eye protection:**



Goggles recommended during refilling.

• **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:

Liquid

Color:

Yellow

• **Odor:**

Floral, Lavender

• **Odor threshold:**

Not determined.

• **pH-value @ 20 °C (68 °F):**

7.5

• **Change in condition**

Melting point/Melting range:

Not determined.

Boiling point/Boiling range:

≥198.5 °C (≥389.3 °F)

• **Flash point:**

None

• **Flammability (solid, gaseous):**

Not applicable.

• **Ignition temperature:**

Not applicable

• **Decomposition temperature:**

Not determined.

• **Auto igniting:**

Product is not self-igniting.

• **Danger of explosion:**

Product does not present an explosion hazard.

• **Explosion limits:**

Lower:

≥1 Vol %

Upper:

≤9.9 Vol %

• **Vapor pressure:**

Not determined.

• **Density @ 20 °C (68 °F):**

1 g/cm³ (8.345 lbs/gal)

• **Relative density:**

Not determined.

• **Vapor density:**

Not determined.

• **Evaporation rate:**

Not determined.

• **Solubility in / Miscibility with:**

Water:

Fully miscible.

• **Partition coefficient (n-octanol/water):**

Not determined.

• **Viscosity:**

Dynamic:

Not determined.

Kinematic:

Not determined.

• **Solvent content:**

VOC content:

0.00 %

• **Other information:**

No further relevant information available.

10 Stability and Reactivity

• **Reactivity:** No further relevant information available.

• **Chemical stability:** Product is stable under normal conditions.

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

• **Possibility of hazardous reactions:** No dangerous reactions known.

• **Conditions to avoid:** No further relevant information available.

• **Incompatible materials:** No further relevant information available.

• **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

11 Toxicological Information

· **Information on toxicological effects:**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

LD50 values that are relevant for classification		
107-41-5 Hexylene Glycol		
Oral	LD50	3,700 mg/kg (Rat)
Dermal	LD50	8,560 mg/kg (Rabbit)
68551-12-2 alcohols, C12-16, ethoxylated		
Oral	LD50	>2,000 mg/kg (Rat)
151-21-3 Sodium Dodecyl Sulphate		
Oral	LD50	1,288 mg/kg (Rat)
Inhalative	LC50/4 h	>3,900 mg/l (Rat)
THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.		

· **Primary irritant effect:**

· **On the skin:** May cause an allergic skin reaction.

· **On the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

68551-12-2 alcohols, C12-16, ethoxylated	
EC50	1 mg/l (Daphnia)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

· **UN-Number:**

· **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

- **UN proper shipping name:** Non-Regulated Material
- **DOT, ADR/ADN, IMDG, IATA**
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

• **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

• **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

• **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

• **Hazardous Air Pollutants**

None of the ingredients are listed.

• **California Proposition 65:**

• **Chemicals known to cause cancer:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **New Jersey Right-to-Know List:**

107-41-5 Hexylene Glycol

80-56-8 alpha-Pinene

• **New Jersey Special Hazardous Substance List:**

80-56-8 alpha-Pinene

F3

• **Pennsylvania Right-to-Know List:**

107-41-5 Hexylene Glycol

80-56-8 alpha-Pinene

• **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

• **Carcinogenic categories:**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

80-56-8 alpha-Pinene

A4

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/31/2020

Reviewed on 03/31/2020

Trade Name: PAK-IT Wood & Marble Neutral Cleaner

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Sodium Dodecyl Sulphate
- **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H401 Toxic to aquatic life.
- **Precautionary statements:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P337+P313 If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **National regulations:**
None of the ingredients are listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of last revision/ revision number:** 03/31/2020 / -
- **Abbreviations and acronyms:**
ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
- *** Data compared to the previous version altered.**
SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106